

NATIVE POINT – NORTHERN TERRITORY

LAT 12° 39' S LONG 130° 16' E

Times and Heights of High and Low Waters

2027

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0600 1.96 1221 4.28 FR 1730 3.07 2334 4.76		16 0439 1.84 1105 4.47 SA 1634 2.79 2225 4.90 ●		1 0632 2.17 1438 4.40 MO 2039 3.79 2302 3.86		16 0602 1.90 1408 4.56 TU 2002 3.68		1 0406 2.00 1124 4.33 MO 1630 3.61 2119 4.16		16 0416 1.68 1140 4.62 TU 1715 3.51 2209 4.26 ●		1 0538 2.90 1535 4.21 TH 2218 3.32		16 0043 4.05 0737 2.22 FR 1437 4.80 2057 2.68	
2 0704 1.88 1354 4.41 SA 1906 3.44		17 0532 1.83 1238 4.41 SU 1744 3.34 2310 4.51		2 0812 2.28 1602 4.59 TU 2238 3.51		17 0007 4.04 0808 1.87 WE 1540 4.88 2146 3.31		2 0444 2.43 1415 4.10 TU		17 0546 2.05 1351 4.52 WE 1958 3.52		2 0241 3.56 0900 2.68 FR 1605 4.51 2216 2.92		17 0236 4.36 0858 2.10 SA 1528 5.10 2149 2.06	
3 0028 4.43 0803 1.79 SU 1507 4.68 2053 3.51		18 0647 1.80 1422 4.63 MO 1958 3.59		3 0224 3.69 0938 2.15 WE 1653 4.83 2308 3.19		18 0232 4.19 0936 1.52 TH 1633 5.26 2237 2.82		3 0732 2.74 1611 4.33 WE 2328 3.42		18 0027 3.99 0803 2.05 TH 1521 4.79 2127 3.07		3 0333 3.97 0943 2.35 SA 1623 4.84 2232 2.46		18 0342 4.83 0954 1.95 SU 1606 5.41 2230 1.43	
4 0139 4.18 0856 1.69 MO 1604 4.97 2211 3.35		19 0036 4.21 0818 1.63 TU 1544 5.02 2150 3.36		4 0356 3.96 1035 1.90 TH 1727 5.07 2333 2.87		19 0351 4.69 1035 1.12 FR 1713 5.64 2317 2.30		4 0254 3.54 0940 2.48 TH 1647 4.62 2257 3.08		19 0240 4.29 0926 1.74 FR 1610 5.17 2217 2.49		4 0406 4.42 1013 2.04 SU 1638 5.17 2254 1.98		19 0432 5.32 1040 1.84 MO 1639 5.66 2305 0.90	
5 0252 4.10 0947 1.60 TU 1650 5.21 2303 3.12		20 0227 4.25 0936 1.31 WE 1640 5.43 2248 2.97		5 0444 4.34 1115 1.59 FR 1755 5.32 2358 2.56		20 0447 5.20 1121 0.82 SA 1747 5.99 2355 1.79		5 0359 3.97 1025 2.11 FR 1710 4.93 2311 2.70		20 0350 4.79 1020 1.43 SA 1647 5.55 2257 1.88		5 0438 4.87 1042 1.78 MO 1656 5.47 2317 1.50		20 0515 5.76 1121 1.78 TU 1711 5.80 2338 0.53	
6 0354 4.19 1034 1.49 WE 1729 5.39 2340 2.88		21 0347 4.60 1037 0.94 TH 1725 5.79 2331 2.55		6 0520 4.72 1146 1.30 SA 1819 5.59		21 0534 5.61 1201 0.67 SU 1819 6.27 ○		6 0433 4.41 1054 1.74 SA 1727 5.26 2332 2.29		21 0442 5.29 1103 1.22 SU 1718 5.90 2334 1.30		6 0511 5.33 1114 1.60 TU 1718 5.71 2341 1.06		21 0554 6.10 1159 1.79 WE 1741 5.81 ○	
7 0444 4.39 1117 1.37 TH 1804 5.52		22 0447 5.05 1128 0.62 FR 1805 6.07 ○		7 0024 2.24 0552 5.05 SU 1214 1.06 1842 5.85 ●		22 0033 1.34 0618 5.86 MO 1238 0.70 1851 6.43		7 0503 4.83 1120 1.43 SU 1745 5.60 2355 1.87		22 0527 5.70 1142 1.14 MO 1748 6.15 ○		7 0546 5.76 1148 1.53 WE 1743 5.84 ●		22 0009 0.35 0630 6.31 TH 1236 1.88 1811 5.68	
8 0012 2.67 0525 4.64 FR 1155 1.24 1836 5.62 ●		23 0011 2.16 0538 5.45 SA 1213 0.43 1841 6.28		8 0050 1.94 0625 5.30 MO 1241 0.91 1905 6.07		23 0109 1.01 0700 5.97 TU 1313 0.91 1921 6.43		8 0534 5.21 1146 1.19 MO 1804 5.90 ●		23 0008 0.83 0608 6.01 TU 1219 1.20 1817 6.25		8 0008 0.71 0623 6.10 TH 1226 1.57 1812 5.85		23 0038 0.37 0704 6.34 FR 1310 2.03 1840 5.47	
9 0042 2.49 0603 4.88 SA 1230 1.11 1905 5.73		24 0050 1.83 0624 5.70 SU 1254 0.43 1917 6.39		9 0118 1.68 0659 5.46 TU 1310 0.90 1928 6.18		24 0144 0.82 0742 5.92 WE 1348 1.26 1949 6.26		9 0019 1.47 0606 5.55 TU 1214 1.08 1826 6.10		24 0041 0.53 0647 6.18 WE 1254 1.37 1846 6.18		9 0038 0.48 0701 6.30 FR 1304 1.73 1843 5.74		24 0105 0.56 0738 6.18 SA 1343 2.25 1908 5.20	
10 0112 2.32 0638 5.04 SU 1302 1.02 1934 5.83		25 0130 1.57 0709 5.75 MO 1332 0.62 1951 6.39		10 0146 1.46 0734 5.53 WE 1340 1.04 1953 6.16		25 0217 0.81 0822 5.76 TH 1421 1.72 2016 5.92		10 0045 1.13 0640 5.81 WE 1245 1.11 1850 6.16		25 0111 0.42 0724 6.21 TH 1328 1.65 1913 5.95		10 0109 0.42 0741 6.29 SA 1344 1.99 1915 5.55		25 0131 0.89 0810 5.86 SU 1414 2.52 1934 4.90	
11 0144 2.19 0713 5.12 MO 1332 1.00 2002 5.91		26 0209 1.41 0754 5.63 TU 1409 0.98 2024 6.26		11 0215 1.31 0811 5.50 TH 1413 1.36 2018 5.97		26 0247 0.95 0902 5.50 FR 1453 2.22 2039 5.48		11 0111 0.87 0716 5.97 TH 1319 1.31 1915 6.06		26 0140 0.52 0800 6.09 FR 1401 2.00 1938 5.59		11 0144 0.53 0824 6.07 SU 1426 2.32 1950 5.29		26 0158 1.28 0843 5.43 MO 1444 2.82 1959 4.61	
12 0215 2.07 0749 5.11 TU 1403 1.09 2030 5.91		27 0249 1.35 0839 5.39 WE 1444 1.48 2055 5.99		12 0244 1.24 0852 5.37 FR 1447 1.83 2043 5.66		27 0314 1.23 0942 5.16 SA 1524 2.73 2059 5.00		12 0139 0.74 0755 5.98 FR 1355 1.65 1942 5.82		27 0206 0.79 0834 5.81 SA 1431 2.39 2001 5.18		12 0224 0.82 0910 5.67 MO 1509 2.70 2029 4.97		27 0227 1.70 0919 4.95 TU 1517 3.11 2025 4.31	
13 0248 1.98 0827 5.01 WE 1434 1.32 2058 5.81		28 0328 1.40 0926 5.08 TH 1519 2.05 2124 5.61		13 0316 1.28 0938 5.13 SA 1526 2.40 2109 5.26		28 0339 1.59 1025 4.75 SU 1554 3.20 2113 4.55 ●		13 0210 0.76 0836 5.82 SA 1433 2.11 2010 5.48		28 0229 1.17 0908 5.39 SU 1500 2.79 2020 4.78		13 0310 1.24 1005 5.17 TU 1601 3.06 2115 4.61		28 0300 2.10 1003 4.51 WE 1602 3.38 2058 4.00	
14 0322 1.91 0909 4.84 TH 1509 1.70 2125 5.59		29 0406 1.52 1018 4.77 FR 1554 2.64 2150 5.15 ●		14 0352 1.42 1037 4.82 SU 1611 2.99 2140 4.82 ○		15 0442 1.66 1203 4.55 MO 1719 3.51 2221 4.38		14 0243 0.93 0921 5.49 SU 1514 2.61 2041 5.09		29 0252 1.62 0943 4.89 MO 1528 3.18 2036 4.40		14 0409 1.72 1122 4.73 WE 1722 3.31 2225 4.22 ●		29 0347 2.47 1115 4.22 TH 1814 3.50 2203 3.66 ○	
15 0358 1.86 0959 4.65 FR 1547 2.21 2153 5.28		30 0444 1.72 1122 4.51 SA 1635 3.18 2211 4.68						15 0322 1.25 1017 5.04 MO 1602 3.11 2116 4.68		30 0317 2.08 1027 4.37 TU 1559 3.53 2045 4.06 ●		15 0538 2.12 1314 4.60 TH 1935 3.19		30 0501 2.75 1336 4.23 FR 2032 3.17	
		31 0528 1.95 1250 4.35 SU 1734 3.63 2232 4.25								31 0354 2.54 1316 3.97 WE					

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

NATIVE POINT – NORTHERN TERRITORY

LAT 12° 39' S LONG 130° 16' E

Times and Heights of High and Low Waters

2027

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0116 3.59 0704 2.80 SA 1432 4.45 2111 2.73		16 0220 4.38 0815 2.60 SU 1429 4.98 2112 1.70		1 0250 4.36 0814 2.97 TU 1407 4.66 2111 1.66		16 0400 5.16 0957 3.07 WE 1510 4.60 2157 1.14		1 0326 4.83 0916 3.33 TH 1408 4.33 2119 1.39		16 0436 5.14 1052 3.13 FR 1544 4.13 2224 1.58		1 0506 5.57 1111 2.67 SU 1625 4.91 2307 0.77		16 0545 5.31 1149 2.50 MO 1715 4.72 2339 1.38	
2 0243 3.93 0824 2.67 SU 1502 4.71 2139 2.24		17 0328 4.82 0921 2.59 MO 1515 5.11 2154 1.20		2 0345 4.88 0930 2.90 WE 1458 4.72 2150 1.23		17 0444 5.50 1051 2.89 TH 1559 4.61 2237 1.04		2 0424 5.31 1030 3.06 FR 1524 4.49 2217 1.02		17 0519 5.34 1132 2.86 SA 1638 4.37 2311 1.42		2 0545 5.92 1151 2.23 MO 1716 5.39 ● 2352 0.49		17 0608 5.55 1214 2.17 TU 1746 5.05 ○	
3 0330 4.37 0917 2.49 MO 1528 4.95 2206 1.74		18 0418 5.29 1016 2.51 TU 1555 5.20 2231 0.82		3 0432 5.41 1032 2.74 TH 1548 4.83 2232 0.86		18 0524 5.74 1134 2.70 FR 1644 4.66 2316 1.00		3 0512 5.73 1120 2.73 SA 1626 4.83 2310 0.67		18 0555 5.50 1205 2.63 SU 1721 4.64 2351 1.26		3 0621 6.21 1228 1.82 TU 1803 5.73		18 0005 1.18 0629 5.79 WE 1239 1.85 1817 5.30	
4 0411 4.88 1002 2.33 TU 1558 5.15 2233 1.26		19 0500 5.72 1102 2.42 WE 1632 5.23 2306 0.61		4 0517 5.87 1124 2.54 FR 1637 5.00 2315 0.56		19 0600 5.86 1212 2.56 SA ○ 1726 4.75 2354 1.02		4 0555 6.05 1202 2.41 SU 1720 5.21 ● 2358 0.41		19 0628 5.64 1235 2.42 MO ○ 1758 4.89		4 0033 0.40 0655 6.40 WE 1307 1.47 1848 5.89		19 0031 1.07 0650 5.99 TH 1304 1.56 1848 5.48	
5 0450 5.41 1047 2.19 WE 1630 5.30 2303 0.84		20 0537 6.03 1143 2.33 TH 1708 5.20 ○ 2337 0.55		5 0600 6.20 1209 2.36 SA 1724 5.20 ●		20 0636 5.87 1246 2.48 SU 1804 4.85		5 0635 6.26 1243 2.14 MO 1807 5.52		20 0024 1.13 0657 5.75 TU 1304 2.23 1832 5.08		5 0111 0.52 0728 6.47 TH 1346 1.21 1933 5.87		20 0057 1.06 0711 6.11 FR 1330 1.33 1921 5.57	
6 0529 5.89 1131 2.09 TH 1704 5.40 ● 2336 0.52		21 0612 6.20 1221 2.30 FR 1742 5.14		6 0000 0.37 0643 6.36 SU 1252 2.23 1811 5.37		21 0031 1.06 0710 5.81 MO 1319 2.44 1840 4.91		6 0043 0.30 0714 6.35 TU 1323 1.94 1854 5.67		21 0054 1.05 0723 5.85 WE 1333 2.07 1906 5.17		6 0149 0.85 0800 6.40 FR 1424 1.08 2018 5.69		21 0125 1.18 0734 6.11 SA 1356 1.18 1956 5.58	
7 0609 6.25 1214 2.05 FR 1741 5.45		22 0009 0.64 0647 6.19 SA 1256 2.33 1816 5.05		7 0045 0.32 0725 6.35 MO 1333 2.18 1857 5.46		22 0106 1.13 0743 5.72 TU 1351 2.43 1916 4.91		7 0125 0.38 0752 6.34 WE 1404 1.80 1939 5.62		22 0122 1.05 0748 5.93 TH 1402 1.92 1939 5.18		7 0224 1.32 0831 6.17 SA 1502 1.09 2104 5.41		22 0155 1.43 0757 5.97 SU 1422 1.13 2033 5.49	
8 0012 0.34 0650 6.42 SA 1257 2.09 1820 5.45		23 0040 0.82 0721 6.02 SU 1330 2.42 1849 4.93		8 0131 0.42 0807 6.20 TU 1415 2.20 1942 5.40		23 0139 1.23 0815 5.62 WE 1425 2.44 1951 4.83		8 0206 0.67 0829 6.22 TH 1447 1.72 2027 5.39		23 0150 1.15 0813 5.94 FR 1432 1.81 2015 5.10		8 0300 1.89 0900 5.79 SU 1539 1.23 2153 5.08		23 0228 1.81 0821 5.69 MO 1451 1.18 2114 5.28	
9 0051 0.32 0732 6.38 SU 1339 2.20 1901 5.39		24 0112 1.07 0755 5.75 MO 1403 2.57 1921 4.80		9 0216 0.69 0850 5.96 WE 1501 2.27 2031 5.17		24 0210 1.37 0845 5.54 TH 1500 2.43 2029 4.68		9 0245 1.13 0905 6.01 FR 1532 1.70 2119 5.05		24 0218 1.37 0836 5.87 SA 1501 1.73 2053 4.96		9 0337 2.47 0928 5.33 MO 1616 1.49 ● 2249 4.75		24 0304 2.29 0846 5.32 TU 1524 1.35 2202 4.97	
10 0134 0.47 0815 6.14 MO 1422 2.37 1944 5.25		25 0145 1.35 0829 5.43 TU 1436 2.74 1955 4.62		10 0300 1.11 0934 5.68 TH 1552 2.34 2126 4.81		25 0242 1.57 0914 5.45 FR 1538 2.41 2111 4.48		10 0324 1.71 0941 5.72 SA 1621 1.72 2218 4.70		25 0249 1.71 0901 5.68 SU 1532 1.71 2136 4.78		10 0416 3.03 0952 4.82 TU 1656 1.81		25 0345 2.82 0914 4.90 WE 1605 1.62 ● 2310 4.61	
11 0219 0.78 0902 5.77 TU 1507 2.60 2029 5.00		26 0220 1.63 0906 5.14 WE 1514 2.89 2032 4.39		11 0347 1.63 1021 5.39 FR 1656 2.33 ● 2235 4.43		26 0314 1.84 0945 5.33 SA 1618 2.37 2200 4.27		11 0406 2.33 1017 5.35 SU 1715 1.76 ● 2334 4.46		26 0324 2.16 0926 5.38 MO 1606 1.73 2229 4.57		11 0004 4.48 0509 3.51 WE 1016 4.33 1752 2.15		26 0439 3.34 0951 4.47 TH 1710 1.93	
12 0308 1.19 0954 5.36 WE 1602 2.80 2124 4.66		27 0257 1.90 0945 4.91 TH 1601 3.00 2117 4.13		12 0439 2.21 1113 5.14 SA 1812 2.20		27 0351 2.20 1016 5.15 SU 1705 2.29 ● 2306 4.12		12 0456 2.93 1054 4.93 MO 1817 1.79		27 0404 2.68 0954 5.00 TU 1649 1.81 ● 2343 4.40		12 0157 4.38 0752 3.76 TH 1044 3.89 1943 2.35		27 0109 4.43 0640 3.68 FR 1103 4.08 1914 2.05	
13 0403 1.67 1056 5.01 TH 1717 2.90 ● 2238 4.29		28 0338 2.17 1029 4.75 FR 1706 3.01 ● 2219 3.88		13 0012 4.24 0548 2.74 SU 1213 4.92 1926 1.92		28 0436 2.62 1051 4.91 MO 1800 2.16		13 0109 4.44 0614 3.40 TU 1141 4.51 1923 1.81		28 0458 3.22 1029 4.59 WE 1752 1.91		13 0339 4.54 1026 3.49 FR 1414 3.65 2124 2.24		28 0308 4.66 0914 3.44 SA 1349 4.06 2104 1.75	
14 0513 2.14 1215 4.83 FR 1859 2.71		29 0425 2.44 1120 4.66 SA 1833 2.84 2355 3.76		14 0153 4.40 0720 3.09 MO 1315 4.76 2024 1.60		29 0034 4.13 0539 3.06 TU 1136 4.64 1905 1.98		14 0234 4.62 0815 3.57 WE 1256 4.17 2029 1.78		29 0133 4.42 0644 3.62 TH 1133 4.20 1930 1.89		14 0439 4.80 1100 3.15 SA 1552 3.94 2226 1.97		29 0410 5.06 1013 2.95 SU 1522 4.52 2209 1.32	
15 0036 4.13 0647 2.48 SA 1332 4.86 2017 2.25		30 0526 2.70 1217 4.63 SU 1942 2.50		15 0305 4.76 0847 3.17 TU 1415 4.65 2113 1.33		30 0208 4.39 0718 3.37 WE 1244 4.39 2014 1.72		15 0343 4.88 0952 3.41 TH 1429 4.04 2130 1.71		30 0316 4.74 0919 3.51 FR 1343 4.09 2107 1.60		15 0517 5.05 1124 2.82 SU 1639 4.33 2307 1.66		30 0450 5.46 1054 2.40 MO 1622 5.07 2257 0.97	
		31 0137 3.95 0646 2.90 MO 1313 4.63 2030 2.09								31 0421 5.16 1027 3.11 SA 1521 4.41 2215 1.17				31 0524 5.84 1132 1.84 TU 1711 5.55 2338 0.77	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

NATIVE POINT – NORTHERN TERRITORY

LAT 12° 39' S LONG 130° 16' E

Times and Heights of High and Low Waters

2027

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0556 6.16 1209 1.31 WE 1757 5.90 ●		16 0548 5.74 1205 1.42 TH 1756 5.49 ○		1 0553 6.15 1218 0.42 FR 1828 6.28		16 0522 5.62 1149 0.78 SA 1807 5.97		1 0057 2.02 0626 5.48 MO 1252 0.47 1924 6.31		16 0039 2.16 0601 5.33 TU 1231 0.43 1913 6.33		1 0122 2.33 0643 4.99 WE 1307 0.99 1946 5.89		16 0114 2.16 0638 5.47 TH 1311 0.36 1947 6.28	
2 0017 0.76 0626 6.38 TH 1245 0.88 1840 6.10		17 0001 1.34 0607 5.93 FR 1228 1.08 1828 5.76		2 0035 1.45 0624 6.14 SA 1250 0.27 1906 6.37		17 0009 1.79 0551 5.66 SU 1217 0.56 1844 6.21		2 0132 2.18 0657 5.24 TU 1322 0.78 1959 6.02		17 0121 2.19 0643 5.35 WE 1314 0.47 1956 6.20		2 0157 2.45 0718 4.87 TH 1342 1.25 2022 5.60		17 0155 2.11 0723 5.51 FR 1356 0.51 2027 6.14	
3 0054 0.91 0657 6.44 FR 1321 0.62 1922 6.14		18 0030 1.34 0630 6.01 SA 1252 0.84 1901 5.95		3 0111 1.65 0654 5.96 SU 1321 0.34 1944 6.29		18 0047 1.84 0622 5.61 MO 1248 0.48 1922 6.27		3 0207 2.41 0728 4.96 WE 1352 1.18 2035 5.61		18 0203 2.29 0725 5.30 TH 1359 0.66 2040 5.93		3 0232 2.60 0754 4.70 FR 1416 1.53 2057 5.32		18 0238 2.10 0810 5.37 SA 1439 0.85 2108 5.92	
4 0130 1.22 0727 6.32 SA 1354 0.56 2003 6.03		19 0102 1.45 0654 5.96 SU 1319 0.71 1937 6.01		4 0147 1.93 0723 5.65 MO 1350 0.62 2020 6.03		19 0126 2.00 0655 5.49 TU 1323 0.55 2003 6.13		4 0241 2.69 0758 4.66 TH 1424 1.60 2112 5.15		19 0247 2.45 0810 5.15 FR 1446 0.97 2128 5.59		4 0309 2.74 0831 4.48 SA 1450 1.81 2133 5.09		19 0325 2.11 0901 5.08 SU 1521 1.35 2150 5.65	
5 0205 1.63 0756 6.02 SU 1426 0.69 2043 5.79		20 0137 1.69 0721 5.77 MO 1347 0.73 2015 5.91		5 0221 2.28 0751 5.25 TU 1417 1.03 2055 5.62		20 0207 2.25 0731 5.29 WE 1403 0.77 2047 5.80		5 0317 2.99 0829 4.35 FR 1458 2.01 2156 4.71		20 0336 2.62 0901 4.87 SA 1536 1.40 2221 5.26		5 0352 2.83 0913 4.22 SU 1526 2.11 2209 4.90		20 0418 2.10 1002 4.72 MO 1608 1.96 2233 5.36 ●	
6 0239 2.10 0822 5.60 MO 1455 1.00 2123 5.44		21 0213 2.05 0750 5.48 TU 1420 0.89 2057 5.63		6 0254 2.66 0815 4.83 WE 1443 1.51 2132 5.10		21 0250 2.56 0810 5.05 TH 1448 1.10 2138 5.37		6 0404 3.24 0907 4.03 SA 1540 2.39 ● 2255 4.40		21 0437 2.72 1005 4.51 SU 1634 1.89 ● 2323 5.01		6 0444 2.84 1007 3.97 MO 1605 2.42 ● 2247 4.77		21 0522 2.03 1121 4.42 TU 1703 2.57 2322 5.06	
7 0313 2.58 0846 5.10 TU 1523 1.42 2205 5.00		22 0253 2.47 0821 5.14 WE 1457 1.18 2146 5.21		7 0326 3.05 0837 4.42 TH 1512 2.01 ● 2217 4.56		22 0338 2.88 0855 4.74 FR 1542 1.52 2242 4.93		7 0540 3.36 1009 3.71 SU 1639 2.70		22 0602 2.64 1138 4.24 MO 1748 2.37		7 0551 2.73 1126 3.81 TU 1653 2.74 2331 4.67		22 0634 1.87 1302 4.40 WE 1823 3.08	
8 0347 3.06 0906 4.61 WE 1551 1.90 ● 2259 4.52		23 0338 2.92 0856 4.77 TH 1545 1.57 ● 2254 4.75		8 0405 3.43 0856 4.04 FR 1550 2.48 2351 4.12		23 0443 3.15 0956 4.39 SA 1652 1.94 ●		8 0034 4.29 0754 3.12 MO 1245 3.58 1815 2.89		23 0033 4.89 0728 2.28 TU 1332 4.31 1921 2.68		8 0702 2.49 1306 3.88 WE 1800 3.02		23 0021 4.79 0742 1.64 TH 1430 4.67 2004 3.29	
9 0425 3.49 0920 4.17 TH 1629 2.38		24 0437 3.34 0943 4.38 FR 1658 1.97		9 0739 3.66 0907 3.68 SA 1715 2.87		24 0012 4.68 0632 3.17 SU 1141 4.12 1833 2.21		9 0149 4.39 0846 2.71 TU 1428 3.86 1951 2.89		24 0139 4.89 0833 1.78 WE 1454 4.69 2042 2.79		9 0023 4.58 0756 2.18 TH 1427 4.19 1929 3.19		24 0130 4.59 0841 1.42 FR 1535 5.04 2129 3.22	
10 0111 4.16 1836 2.77 FR		25 0047 4.49 0647 3.53 SA 1122 4.04 1904 2.13		10 0255 4.21 0943 3.29 SU 1424 3.55 2034 2.79		25 0144 4.73 0812 2.77 MO 1348 4.25 2010 2.24		10 0228 4.56 0919 2.27 WE 1519 4.25 2052 2.79		25 0234 4.96 0923 1.29 TH 1553 5.17 2147 2.74		10 0121 4.52 0842 1.84 FR 1526 4.63 2100 3.16		25 0238 4.51 0933 1.24 SA 1625 5.39 2232 2.99	
11 0341 4.31 1106 3.39 SA 1447 3.54 2123 2.56		26 0240 4.65 0848 3.18 SU 1355 4.16 2046 1.91		11 0340 4.46 0958 2.88 MO 1524 3.94 2126 2.53		26 0246 4.95 0914 2.16 TU 1509 4.69 2119 2.17		11 0300 4.74 0946 1.82 TH 1559 4.70 2142 2.66		26 0323 5.03 1005 0.90 FR 1639 5.61 2241 2.60		11 0222 4.51 0926 1.49 SA 1616 5.12 2211 2.97		26 0338 4.53 1020 1.12 SU 1709 5.66 2320 2.74	
12 0430 4.60 1045 3.03 SU 1552 3.95 2213 2.21		27 0338 4.99 0947 2.61 MO 1519 4.64 2149 1.63		12 0403 4.73 1018 2.43 TU 1559 4.35 2159 2.30		27 0331 5.22 0959 1.52 WE 1606 5.19 2212 2.08		12 0331 4.90 1013 1.40 FR 1637 5.19 2229 2.50		27 0406 5.09 1044 0.66 SA 1720 5.96 2327 2.44		12 0320 4.60 1010 1.14 SU 1701 5.58 2306 2.72		27 0430 4.63 1104 1.05 MO 1748 5.83	
13 0456 4.89 1100 2.65 MO 1628 4.38 2244 1.89		28 0418 5.37 1030 1.97 TU 1616 5.17 2237 1.42		13 0419 5.00 1039 1.97 WE 1630 4.77 2228 2.09		28 0409 5.46 1039 0.95 TH 1654 5.68 2258 2.00		13 0405 5.05 1043 1.02 SA 1714 5.66 2313 2.34		28 0449 5.12 1121 0.57 ● SU 1758 6.17		13 0414 4.78 1055 0.82 MO 1743 5.96 2351 2.48		28 0000 2.53 0516 4.76 ● TU 1146 1.01 1825 5.90	
14 0514 5.18 1120 2.24 TU 1657 4.79 2310 1.63		29 0451 5.72 1108 1.33 WE 1704 5.64 2319 1.32		14 0437 5.26 1101 1.52 TH 1701 5.20 2259 1.93		29 0444 5.63 1115 0.52 FR 1735 6.08 ● 2340 1.95		14 0442 5.17 1115 0.72 SU 1752 6.04 ○ 2357 2.22		29 0007 2.33 0528 5.11 MO 1157 0.62 1834 6.22		14 0505 5.03 1141 0.56 TU 1824 6.21 ○		29 0037 2.40 0558 4.90 WE 1225 1.01 1901 5.89	
15 0531 5.47 1141 1.82 WE 1726 5.16 2334 1.44		30 0522 6.00 1143 0.79 TH 1748 6.02 ● 2358 1.33		15 0458 5.47 1124 1.11 FR 1734 5.62 ○ 2333 1.82		30 0518 5.69 1148 0.30 SA 1813 6.34		15 0520 5.26 1152 0.51 MO 1831 6.27		30 0045 2.28 0606 5.07 TU 1232 0.77 1910 6.11		15 0033 2.29 0552 5.28 WE 1227 0.38 1906 6.31		30 0111 2.32 0635 4.99 TH 1300 1.06 1934 5.84	
						31 0019 1.95 0552 5.64 SU 1220 0.29 1849 6.42								31 0144 2.29 0711 5.00 FR 1332 1.16 2004 5.75	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter